




Oneida Dust Cobra[®] Cyclonic Dust Containment System

Copyright 2014 by
Oneida Air Systems

A Revolution in Dust Collection!



Made in the USA

An innovative,
re-design for
2015 that makes
our Dust Cobra[®]
better than ever!



Static
Conductive
Cyclone and
Steel Drum

■ **Rapid Pulse[™] Filter Cleaner**

Don't stop to clean
messy filters.

■ **HEPA Full Unit Certified.**

Meets EPA RRP
requirements for lead.

- 3x more air volume than a standard shop vacuum.
- Works on all of your tools.
- 110 V
- Bag Hold Down - Easily dispose of dust in plastic bags.
- Optional Drum Dolly for portability.

Lighter, more mobile and efficient, but with the same strength and quality Oneida is known for!



Intertek

U.S. Pat. # 8,393,050

Appearance may vary.

For More Information

www.oneida-air.com

Call Us Today!

1.800.732.4065

Oneida Dust Cobra[®] Cyclonic Dust Containment System



Our entire system is ETL safety certified.

An innovative, re-design for 2015 that makes our Dust Cobra[®] better than ever!

- ① 110 V Industrial Motor
- ② **Rapid Pulse Filter Cleaner™**
HEPA filter pulses clean in seconds with a push of the pulse bar!
No filter removal no mess!
- ③ **HEPA Full Unit Certification**
- Meets EPA RRP requirements for lead!
Certificate included with every unit.
HEPA Filter Cartridge is an economical and commercially available CleanStream Filter made with Gore HEPA filter media. Can be purchased in big box stores.
- ④ Easy shut Inlet Valve allows for quick Rapid Pulse filter cleaning.
- ⑤ Ultra-High Efficiency Cyclonic Separation - Up to 99% before the filter
- Virtually eliminates filter clogging.
Static conductive molded design allows for lightness, strength and easier mobility.
- ⑥ Can be used with long hose lengths. (Hoses sold separately.)
- ⑦ Plastic Bag Hold-Down. Easily dispose of waste by removing plastic bag from drum.
- ⑧ 17 Gallon Steel Drum
- ⑨ Optional Drum Dolly



Static Conductive Cyclone and Steel Drum

Optional Dust Sentry[®]

U.S. Pat. # 8,393,050

- ▶ **Optional Mobility Kit for portability.**
- ▶ **High Suction Pressure. 3X the air performance of most shop vacs - 70" W/C - 245 CFM (Std. shop vacs approx. 70 CFM)**
- ▶ **No Filter Bags.**
- ▶ **73 dBA @ 10'.**
- ▶ **Approx. 53" tall and approx. 45 lbs.**

Part #	Description	Price
XCKM010000	Dust Cobra Cyclonic Dust Collector	\$949.00
XCKM010000-IND	Dust Cobra - Industrial Package	\$1,279.00

System Performance

- ▶ 70" W/C Max. Suction
- 245 CFM Max. Air Flow
- 245 CFM @ 23" SP w/c - Maximum Flow Rate
- 202 CFM @ 34" Sp w/c - w. 25 ft. of 2.5" Dia. Flex Hose

System Dimensions

- ▶ Height w/ 17 Gal. Steel Drum: Approx. 53" / 56" with Cart
- ▶ Footprint: Approx. 20" x 20"
- ▶ Inlet Diameter: 2.5"

Filter Media

- ▶ HEPA Full Unit Certified. 99.97% at 0.3 Microns.

Dust Bin

- ▶ 17 Gallon Heavy Steel Drum removes and dumps in minutes. Uses plastic bag hold-down for easy waste disposal.

*Oneida reserves the right to change or modify specs and system appearance without notice. Actual system appearance may vary.

Included with Standard System:

- ▶ Dust Cobra[®] Cyclonic Collector
- ▶ Rapid Pulse[™] Filter Cleaner
- ▶ HEPA Filter
- ▶ Bag Hold-Down with 5 Plastic Bags
- ▶ Nylon Hose Strap



Plastic Bag Hold-Down

Easily dispose of waste by removing plastic bag from drum.



Included with Industrial Package:

- ▶ Dust Cobra[®] Cyclonic Collector
- ▶ Rapid Pulse[™] Filter Cleaner
- ▶ HEPA Filter
- ▶ Bag Hold-Down with 5 Plastic Bags
- ▶ Nylon Hose Strap
- ▶ Dust Sentry[™] Bin Level Indicator
- ▶ 25' of 2.5" Hose
- ▶ Hose Accessory Kit with Attachments
- ▶ Universal Drum Dolly

Above items plus these.



Small Dust Port Tools



Jobsite



Clean-Up



Planer



Accessories



Replacement Filters

Part #	Description	Price
FCH000004	CleanStream HEPA Filter	\$39.50

HEPA filters 99.97% of test material from 0.3 microns.



Includes:
 25' of 2.5" dia. Flex Hose 3" dia. Brush
 5' Extension Handle Gulper Tool
 Wide Vac Head 4" to 2.5" Reducer
 Slotted Vac Head

CleanShop Accessories Kit

Part #	Description	Price
ASK000000	CleanShop Accessories Kit	\$143.00



12.5' & 25' Hoses - 2.5" Diameter

Part #	Description	Price
AXD500000	12.5' of 2.5" dia. Hose	\$55.18
VSHRFB250	25' of 2.5" dia. Hose	\$94.60



The Universal Drum Dolly works with all of Oneida's drums. This includes 5 / 10 / 17 / 35 / 55 gallon drums.

Universal Drum Dolly

Part #	Description	Price
SDD990000	Universal Drum Dolly	\$89.00

Pat. #
8,514,090



The Oneida Dust Sentry™ with adjustable IST (Infrared Sensing Technology), flashes a strobe light to alert you when the dust in your container reaches your preset level, telling you when it's time to empty the container.

Dust Sentry™

Part #	Description	Price
AXB999110A	Dust Sentry Sensing Unit	\$148.00



Heavy Duty Plastic Bags

Part #	Description	Price
AXD600300	17 gal.- 1.5 mil. 16"x 14"x 36"	\$8.90 <small>(10 pk.)</small>
VAB251555	35 gal.- 1.5 mil. 16"x 14"x 36"	\$28.00 <small>(10 pk.)</small>

Items Not Covered By Quote

1. Control System: Panels, wiring, system control, breaker or starters unless noted in this quotation.
2. Freight cost, custom fees, duty or loading of freight unless noted in this quotation.
3. Federal, state, municipal or other government excise, sales, use occupational or other like taxes now in force or to be enacted unless noted in this quotation.
4. All labor required for installing the equipment.
5. Anything not specifically mentioned in this quotation.
6. Oneida Air Systems, Inc. reserves the right to void this quote in the event of a typing error or gross oversight.

WARRANTY	WARRANTY	WARRANTY	WARRANTY
90 Days	1 Year	2 Years	5 Years
Dust Deputy's Bag Gripper Remote Control Electronic Items	V - Systems Dust Cobras Mini-Gorillas	Smart Portables Gorilla Portables Super Dust Gorillas Hi-Vac Systems Direct Drive Systems Pulley Drive Systems	Pro 1500 / 2000 Smart Pro Systems* (*2 Yr. Motor Warranty)

Terms and Conditions / Shipping

Oneida tries to ship orders out in a timely manner, however sometimes delays and back orders are inevitable. Oneida will not be held responsible or liable for these conditions or the way they may effect your production. Back orders will be shipped when they are available. When orders are shipped UPS, UPS will notify you by e-mail. If shipped by Common Carrier, you can arrange for the trucking company to notify you and make arrangements for delivery. Shipping method is determined by Oneida Air Systems and is dependent upon material to be shipped and destination. You are not charged until your order is shipped.

► Checking in Order

Please look over the shipped order very carefully in the presence of the delivery person for damage or incomplete shipment before signing the delivery receipt. Please note any tears or irregularities in shipping packaging, however slight, on the shipping delivery receipt. This could be an indication of extensive concealed damage. The shipping company will not take responsibility if the damage is not noted on the delivery receipt. In the event of shipping damage, call OAS Customer Service immediately at 1.800.732.4065 so we can expedite replacements. Please check in all parts within 3 days from receiving order. Notify OAS immediately of any missing or incorrect parts. OAS does not accept any claims for damage or shortage after 3 days from date of delivery.

► Limited Warranty

Oneida Air Systems™ warrants the products manufactured by Oneida Air Systems, for a period of 1 or more years depending on the product, to the original purchaser from the date of purchase unless otherwise specified. Items not manufactured by Oneida Air Systems are limited to their own manufacturer's warranties. All electrical items such as magnetic starters, remotes, sensors, pumps and accessories are limited to 90 days. Oneida Air Systems warrants that the product will be free from defects in materials and workmanship. This warranty does not apply to defects due directly or indirectly to misuse, negligence, accidents, abuse, repairs, alterations, improper wiring or lack of maintenance. This is Oneida Air Systems sole written warranty and any and all warranties that may be implied by law, including any merchantability or fitness, for any particular purpose, are hereby limited to the duration of this written warranty. Oneida Air Systems does not warrant or represent that the merchandise complies with the provisions of any law or acts unless the manufacturer so warrants. In no event shall Oneida Air Systems' liability under this warranty exceed the purchase price paid for the product and any legal actions brought against Oneida Air Systems shall be tried in the State of New York, County of Onondaga.

ONEIDA AIR SYSTEMS SHALL IN NO EVENT BE LIABLE FOR DEATH, INJURIES TO PERSONS OR PROPERTY OR FOR INCIDENTAL, AND CONTINGENT, SPECIAL, OR CONSEQUENTIAL DAMAGES ARISING FROM THE USE OF OUR PRODUCT.

► Safety Warning - Please Read

Before Purchasing or Installing a dust collection system the buyer is cautioned to do so in accordance with prescribed Federal, State, Local, OSHA, NFPA, and any other applicable codes or regulations relating to the type of dust(s) you are collecting.

SOME TYPES OF DUST UNDER CERTAIN CONDITIONS HAVE THE POTENTIAL TO BE EXPLOSIVE.

Oneida Air Systems is not responsible for how the dust collector is used or installed. Dusts with deflagration or explosion risks, such as wood dust, may require additional safety equipment including but not limited to; venting, spark detection, suppression systems, back draft dampers or may require installation in an outside location or in a protected area away from personnel. The customer assumes the responsibility for contacting their insurance underwriter with regard to specific engineering controls or application requirements. (We suggest you reference NFPA 664, 654 and 68 codes for more information) Oneida Air Dust Collection Systems may not be suitable for some applications and are not designed to be used in explosive atmospheres. **Oneida Air Systems equipment should only be installed and wired by a licensed electrician following all applicable local and national electrical codes.**

Some dust created by power sanding, sawing, grinding, drilling, and other construction activities contains chemicals known to cause cancer, birth defects or other reproductive harm. Some examples of these chemicals are:

- Lead from lead-based paints.
- Crystalline silica from bricks, cement and other masonry products.
- Arsenic and chromium from chemically-treated lumber.

Your risk from these exposures varies, depending on how often you do this type of work. To reduce your exposure to these chemicals, work in a well ventilated area, and work with approved safety equipment, such as those dust masks that are specially designed to filter out microscopic particles. Oneida Air Systems recommends using additional approved safety equipment such as an approved OSHA and NIOSH dust mask or respirator.

Oneida Air Systems makes every effort to accurately represent our products, specifications and prices; however Oneida Air Systems reserves the right to make changes to products and prices at any time. As a manufacturer, Oneida Air Systems reserves the right to change product designs and specifications at any time.

► Delivery Risk of Loss

Products will be shipped to Buyer's single destination. Title and risk of loss shall pass to the Buyer upon delivery to such destination. Buyer pays transportation expenses. Dates of shipment are advisory and Oneida Air Systems will make reasonable efforts to ship on or before the date states for shipment, however, Oneida Air Systems shall not incur any liability for failure to ship on that date.

► Returned Goods Policy

Buyer must inform Oneida Air Systems of any shortage or damage, by so noting in writing, on the freight delivery bill prior to signing to indicate receipt of shipment. All claims covered under the limited warranty, are subject to inspection and investigation by Oneida Air Systems. Oneida Air Systems reserves the right to inspect and investigate all returned products before Buyer's claim is settled. All products returned for a refund must be unused and resalable and purchased within the last 30 days. There are no refunds on flex hose or custom made components. There will be a 25% restocking fee applied to any returned items. Buyer must call and obtain a Return Material Authorization Number (RMA #) prior to making a return. All merchandise must be shipped to us prepaid.